

CLAIMS

What is claimed is:

1. A remote control comprising:
 - a file folder including a front cover, a back cover and
5 a spine located between said front cover and said back
cover, said file folder further including a fastener mounted
on said spine;
 - a printed publication detachably mounted on said
fastener, said printed publication including a storage media
10 physically attached to said printed publication;
 - a remote control circuit supported by said file folder;
and
 - a button supported on said back cover and coupled to
said remote control circuit;
15 wherein said remote control circuit generates a remote
control signal in response to application of pressure to
said button.
 2. The remote control of Claim 1, wherein information in
20 the form of electronic content is encoded on said storage media.
 3. The remote control of Claim 2, wherein the electronic
content is related to content printed on said leaf.
 4. A remote control base comprising:
 - a file folder including a front cover, a back cover and
a spine located between said front cover and said back
cover, said file folder further including a fastener mounted
on said spine, said fastener being capable of detachably
30 holding a printed publication;
 - a remote control circuit supported by said file folder,
said remote control circuit including a memory programmed
with a predetermined number; and
 - a button supported on said back cover and coupled to
35 said remote control circuit;

wherein said remote control circuit generates a remote control signal in response to application of pressure to said button.

5 5. The remote control base of Claim 4 wherein information in the form of electronic content encoded on a storage media is accessible over the Internet by use of said predetermined number.

10 6. A remote control base comprising:

 a file folder including a front cover, a back cover and a spine located between said front cover and said back cover, said file folder further including a fastener mounted on said spine; said fastener being capable of detachably
15 holding a printed publication;

 a remote control circuit supported by said file folder;
 an electromagnetic signal transmitter electrically coupled to said remote control circuit; and

 a button supported on said back cover and coupled to
20 said remote control circuit;

 wherein said remote control circuit generates a remote control signal in response to application of pressure to said button, and further wherein said electromagnetic signal transmitter generates an electromagnetic signal carrying
25 data in response to said remote control signal.

7. A remote control comprising:

 a file folder including a front cover, a back cover and a spine located between said front cover and said back
30 cover, said file folder further including a fastener mounted on said spine; said fastener being capable of detachably holding a printed publication;

 a remote control circuit supported by said file folder;
 a button supported on said back cover and coupled to
35 said remote control circuit; and

a leaf detachably attached to said fastener such that said leaf is laid over said button, said leaf being sufficiently flexible for pressure on said leaf to transfer through said leaf to operate said button;

5 wherein said remote control circuit generates a remote control signal in response to operation of said button.

8. A remote control base comprising:

10 a file folder including a front cover, a back cover and a spine located between said front cover and said back cover, said file folder further including a fastener mounted on said spine, said fastener being capable of detachably holding a printed publication, and wherein said fastener comprises a rail having a cross-section in the shape of the letter "C" with a longitudinal cavity formed behind two
15 longitudinal edges that face each other;

 a remote control circuit supported by said file folder; and

20 a button supported on said back cover and coupled to said remote control circuit;

 wherein said remote control circuit generates a remote control signal in response to application of pressure to said button.

25 9. An insert for use with a remote control base, said insert comprising a printed publication and devoid of one or more electronic components permanently attached to said printed publication, said printed publication having a group of leaves connected each to the other at a spine, each of said leaves
30 having a plurality of holes adjacent to said spine, each leaf in said group having printed content and a mark, each mark being positioned differently from the position of another mark, each mark being substantially identical to another mark.

35 10. The insert of Claim 9 further comprising:

a storage media holder for holding a storage media encoded with information in the form of electronic content, said information being related to at least a portion of said printed content.

5

11. The insert of Claim 9, wherein said mark identifies the leaf in a signal generated by said remote control base when said insert is mounted on said base and said mark is touched.